



# Climate and Ocean Support Program in the Pacific (COSPPac) Regional Early Action Rainfall Watch

# Monthly and Seasonal Rainfall Watch: February – April 2022






http://www.marineregions.org/.


The regional maps are available via http://access-s.clide.cloud/files/project/EAR\_watch/pacificx/.

### EAR Watch Categorical forecast for March 2022




Data source: ACCESS-S2 Base period: 1981-2018 |
Issued: 03/01/2022 © Commonwealth of Australia 2022, Australian Bureau of Meteorology, supported by COSPPac Shapefile data extracted from Flanders Marine Institute (2019), Maritime Boundaries Geodatabase: Maritime Boundaries and Exclusive Economic Zones (200NM), version 11. Available online at http://www.marineregions.org/.

## EAR Watch Categorical forecast for February to April 2022



Run: 01/01/2022

Data source: ACCESS-52 Base period: 1981-2018 |
Issued: 03/01/2022 © Commonwealth of Australia 2022, Australian Bureau of Meteorology, supported by COSPPac |
Shapefile data extracted from Flanders Marine Institute (2019), Maritime Boundaries Geodatabase: Maritime Boundaries and Exclusive Economic Zones (200NM), version 11. Available online at http://www.marineregions.org/.



### **Rating Scale: Below Normal and Above Normal**

	Tercile Forecast Probabilities (%)					Tercile Forecast Probabi			Probabili	ties (%)	
Forecast Confidence	39-44	45-50	51-54	55-59	60+	Forecast Confidence	39-44	45-50	51-54	55-59	60+
Low						Low					
Low-Medium						Low-Medium					
Medium						Medium					
Medium-High						Medium-High					
High						High					
Very High						Very High					

E.g. If a region has a forecast probability for **above normal** rainfall of **45**% [17/38/45 – below normal/normal/above normal] with a **Medium-High** Confidence, it would give a **Mid-Blue** Alert Rating. Similarly if a region has a forecast probability for **below normal** rainfall of **45**% [45/38/17 – below normal/normal/above normal] with a **Medium-High** Confidence, it would give a **Mid-Brown** Alert Rating.

### Rainfall Status: as of 31 December 2021

Alert Level	3-month period			
Seriously wet (90%)	Palau, FSM (C), PNG (S), Solomon Is. (W, C)			
Near or wetter than normal	FSM (K, P), Marshall Is., PNG (M, Is.), Solomon			
Near or wetter than normal	Is. (E), Fiji (W, C, N), Niue, Cook Islands (All)			
Warning (25%)	Fiji (E), Kiribati (E)			
Seriously dry (10%)	Samoa			
Severely dry (5%)	FSM (Y), Kiribati (W)			
Status not available	PNG (H), Vanuatu (All), Kiribati (C), Tuvalu (All), Fiji (R)			

#### **List of Divisions:**

Cook Is. (Northern – N)	FSM (Kosrae – K)	PNG (Highlands – H)			
Cook Is. (Southern – S)	Kiribati (Western Is. – W)	Samoa			
Fiji (Western Division – W)	Kiribati (Central Is. – C)	Solomon Is. (Western Region – W)			
Fiji (Central Division – C)	Kiribati (Eastern Is. – E)	Solomon Is. (Central Region – C)			
Fiji (Eastern Division – E)	Marshall Is.	Solomon Is. (Eastern Region – E)			
Fiji (Northern Division – N)	Niue	Tuvalu (Northern Region – N)			
Fiji (Rotuma – R)	Palau	Tuvalu (Southern Region – S)			
FSM (Yap – Y)	PNG (Momase Region – M)	Vanuatu (Northern Region – N)			
FSM (Chuuk – C)	PNG (New Guinea Is. – Is.)	Vanuatu (Southern Region – S)			
FSM (Pohnpei – P)	PNG (Southern Region - S)				

Three-month total rainfall is typically used for monitoring grasslands, shallow rooted plants and small water body (e.g. small water tanks, streams) mositure deficits. Allow for uncertainty associated with island size, topography, geology and soil type.

#### **Rainfall Status**

- Estimates of moisture/water stress are based on recent rainfall compared with historical observations using the Percentile (Decile) Index. A division is listed once at the highest station alert within that division.

#### **Seasonal Rainfall Watch**

- Information provided gives an indication of predicted total rainfall over the next three months, not how intense the rain may be in any one event, nor how it may vary from month to month.
- Information provided has been given on a divisional scale as Pacific Island Countries can experience a high range of rainfall variability within country. It is possible to have forecasts which simultaneously favour above and below normal rainfall in different parts of the one country.
- Starting at 39%, the alert levels indicate increasing chances of either below or above normal rainfall, as defined below. A measure of confidence, based on historical model performance, also plays a role in the rating level.
- The alerts are based on the highest station probabilities within a country or division.
- Definitions: "Below Normal Rainfall" = rainfall total below the 33<sup>rd</sup> percentile for that location and season; "Above Normal Rainfall" = rainfall total above the 67<sup>th</sup> percentile for that location and season.
- Local Met Services should be contacted for detailed information and outlooks. This product is not to be distributed to the public or other organisations.





© Commonwealth of Australia 2022

This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced without prior written permission from the Bureau of Meteorology. Requests and inquiries concerning reproduction and rights should be addressed to the Publishing Unit, Bureau of Meteorology, GPO Box 1289, Melbourne 3001. Requests for reproduction of material from the Bureau website should be addressed to AMDISS, Bureau of Meteorology, at the same address. Published by COSPPac/BOM

ISSN: 2617-3565

